17

G R. S. 58]

Previous references.

W -81-15 81,3,5&6 (1924)

File No. 81-924

Serial Nos. 83

Later references.

Preserve ✓

GENERAL AND REVENUE SECRETARIAT

Serial Nos. /

Part B for April 25

SUBJECT

Bye laws of Municipal Councils.

To

The D.C. Shimoga

No. d 7197 8/4/25

Approves with certain modifications

the bye laws of Sealed Wax framed for regulating

the manufacture of aerated waters in

the Municipality

B170

SB 3/6/4

L 5769

Letter No. H.C. 29 Rev. 24-25, dated 2nd February 1925, from the Deputy Commissioner, Shimoga District, to the Secretary to the Government, Local and Legislative Departments.

I have the honor to state that the President of the -- Sagar Town Municipal Council reports in his No. 239/M1. 24-25, dated 25th December 1924 that the Council have proposed under Section 48(i) c of the Municipal Regulation, the introduction of the marginally noted bye-laws into the Municipality. Accordingly the draft bye-laws were framed and published in the Gazette inviting objections or suggestions, if any, from the Public. It is reported that no objections or suggestions were received from the public and that the time prescribed therefor had elapsed. The Council have finally resolved in their meeting held on 20th December 1924 that these draft bye-laws might be submitted to Government for sanction.

The draft bye-laws regarding.-
(1) Bakeries and Sweetmeat shops
(2) Native Hotels or eating houses.
(3) Manufacture of aerated water.

I therefore request that sanction of Government may -- kindly be obtained to the adoption of the said bye-laws.

The report received from the President together with a copy of the resolution of the Council and copies of printed draft bye-laws in English and Kannada are herewith submitted for reference.

Byelaws re Manufacturing Aerated Waters - Sagar Town Municipal

1) Compared with the bye laws adopted for the manufacture of aerated water in Davangere (Vol F) the bye-laws proposed differ in certain respects and they are shown in pencil in the draft the first two clauses differ considerably from those of Davangere

Rules for others bye-laws used to in items 1 & 2 of Rule 3 are framed reasonably

Typed 11/2/25

5769

'General and Revenue Secretariat. | File No. | of 19

Serial No.

2) The byelaws may be approved with the additions made thereto in pencil by the Office & with the following further modifications & additions namely:

1) byelaw 1 of the Darjeeling Hindi Committee may be incorporated before Clause (a) and byelaw 2 of the said Committee may be adopted in lieu of Clause (b) & the other clauses renumbered accordingly

2 Agreed) —

(Shambu)

4) ... Approved

In rule 1 add the words shall be deemed the fault of an offence under sec — of Act — (Excise) in 2 after shall be pass and after boiled & Cooked or fitted

Approved

3 presume the other byelaws for Sweetmeat shops & Hotels are being separately dealt with

5) (1) Please prepare a draft amending the byelaws as above - (2) The Hotels byelaws have been separately noted

Note—Contn. Sheet

Serial No.

6 Draft bylaws with reference to paras 3, 4 & 4(1) supra

From N 25/2 No

Can be

7 With reference to the minute of the 2nd member at para 4 (1) it is submitted that no reference to the Reg Act is necessary in the bye laws as offences under bye laws are quite distinct from those under the Regulation. Reference to provisions in the Penal Code cannot be made in a bye law framed under the provisions of the Mal Regulation as the powers of a Mal Cl are restricted to the prosecution of offences created under the Mal Regulation or the bye-laws framed thereunder. On receipt of orders on the points the draft bylaws will be redrafted and submitted for approval.

(see page 8 of Comm's Record 29)

8) It refers any Municipal 27.3.1925 additions which [illegible] the Kawangware bylaws (R 7 page 2) may be made, as a breach of any of the bylaws is made punishable under bylaw 2 and this would be enough

2 Members

7188/25/3

NOTE—Contn. Sheet

27/3

Dec 29 3 28

Agreed Lee 27/3

III—21

5169 L

General and Revenue Secretariat

File No

of 19

Serial No

Please revise the draft for a byelaw - Duchally

27/3.

Draft revised & Lib'd as directed

In approval

1/4

1/4

3 4

3/4

83 mod 7191 of 8/4/25 To alter Passage Approval of the byelaws with certain modifications

GENERAL & REVENUE

9 APR

File No. of 19 .

General and Service Secretary.

Serial No.

G.R. S VI G 34]

SUBJECT

Diary No. of letter replied to 5009/(3)

General and Revenue Secretariat

( )

, the 192

Date of issue 8-4-1925....

Signed by mr D K S Iyer

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

Section ml

File No 61-24

Serial No 83

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Letter no H C 19 Fin 24-25 dated the 2nd February 1925, from the Deputy Commr, Shimoga dt, forwarding with his recommendations for sanction, the draft bye-laws proposed by the Sagar Town Municipal Council to regulate the manufacture ~~Order Thereon—No.~~ of aerated waters in the municipality and stating that the same have been duly published in the gazette and no objections were received

Circular No. £719/

The draft by-laws proposed are approved subject to the following modifications

The following shall be renumbered before clause (a) of by-law 1

[~~Words by-law reads~~

"(a) Place shall be used for the manufacture of cordials of aerated waters unless approved by the President, or the purpose" is the re-numbered suitably

2) For clause (b) of by-law 1 the following shall be substituted

"All water used in the manufacture of aerated waters shall be boiled before use and be kept while cooling in a suitably covered vessel. If the water be filtered after boiling, the filtering vessels and materials shall be sterilized at such times and in such manner as the President may direct."

List of enclosures.

Copied by

Examined by

(3) In clause (c) of by-law 1 the words "kept clean and shall be" shall be inserted between the words "shall be" and "open" and the words "as may be directed by the President"

(3) In clause (c) of by-law 1 the words "kept clean and shall be" shall be inserted between the words "shall be" and "open" and the words "as may be directed by the President"

WD 1928—OPD—M.22,250—C.1.—3

G. R. S. (1937)

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form.)

Block letters should be used at the end of the Clause.

5) in the second sentence of Clause (b) of Legislative Council Office the words "Municipal Secretary Inspector" the words "or any officer authorised by the President" shall be inserted

6) In Legislative Council Office the words "or Commissioner" the words before a magistrate shall be inserted

A certified copies of the Legislative Council as amended above should be forwarded to the Secretary as early as possible for information and record

22/11/37

Secretary to Govt

Attn: Mr.

[illegible]

SAGAR TOWN MUNICIPALITY

Notice dated 19th September 1924

Bye-law regarding manufacture of aerated waters framed under Section 48 (1) (o) of the Mysore Municipal Regulation VII of 1906, within the limits of the Sagar Town Municipality

Any inhabitant of this Municipality objecting to the proposed bye law may within one month from the date of publication in the *Mysore Gazette* send his objections in writing to the President, Town Municipal Council Sagar

1 All premises used for manufacture of aerated waters shall satisfy the following conditions —

(a) There shall be water storage in a clean and covered receptacle in the factory premises

(b) If the water be filtered the filtering vessels and materials shall be sterilized at such times and in such manner as the President Vice President or Health Officer may direct.

(c) All water to be used for washing bottles shall be stored in closed iron vessels and be treated before use with permanganate of potassium in such manner as the Health Officer may direct

(d) The room in which aerated waters are manufactured shall be properly roofed and kept clean and in good repair the walls shall be plastered with mortar and shall be lime-washed at least once in three months the floor shall be flagged tiled or cemented so as to be impervious to water and shall be properly drained

(e) The water used for the manufacture of aerated waters shall be pure and such as may be approved of by the Health Officer and shall not be carried in massacks or in any other vessels not approved by the President Vice President or Health Officer

(f) Carts employed for the carriage of water shall be kept on the premises shall have the designation of the factory painted on the barrel and shall at all times be kept in a state of scrupulous cleanliness

(g) The premises and all appliances used in the manufacture shall be open to inspection at all reasonable times by the President Vice President Health Officer the Municipal Sanitary Inspector or any other Municipal Officer

(h) No aerated waters of any kind shall be issued from the manufactory without having a proper label on each bottle giving full name and address of the manufactory It shall be lawful for the President Vice President the Health Officer or any Municipal Sanitary Inspector to enter any place used for the manufacture or sale of aerated waters at any time when such place is open and to inspect or to take sample of bottles of any kind of aerated waters which are there manufactured or kept for sale Such samples shall be forthwith forwarded to Government Chemical Examiner and Bacteriologist and if a certificate from him states that such sample is unfit for human consumption it shall be evidence that it is so unfit until the contrary is proved

2 Any infringement of any of the above bye-laws shall render the proprietor or the person in charge of the place liable on conviction to a fine not exceeding Rs. 20 and to a further fine not exceeding Rs 5 for every day after such conviction during which such infringement continues, provided that the total amount of the fine shall not exceed Rs 500

C. LAKSHMANA RAO
President.

SAGAR TOWN MUNICIPALITY

Notice dated 12th September 1924

Bye-law regarding manufacture of aerated water framed under Section 48 (1) (c) of the Mysore Municipal Regulation VII of 1906 within the limits of the Sagar Town Municipality

Any inhabitant of this Municipality objecting to the proposed bye law may within one month from the date of publication in the *Mysore Gazette* send his objections in writing to the President Town Municipal Council Sagar

1 All premises used for manufacture of aerated waters shall satisfy the following conditions —

(a) There shall be water storage in a clean and covered receptacle in the factory premises

(b) If the water be filtered the filtering vessels and materials shall be sterilized at such times and in such manner as the President Vice President or Health Officer may direct

(c) All water to be used for washing bottles shall be stored in closed iron vessels and be treated before use with permanganate of potassium in such manner as the Health Officer may direct

(d) The room in which aerated waters are manufactured shall be properly roofed and kept clean and in good repair the walls shall be plastered with mortar and shall be lime washed at least once in three months the floor shall be flagged tiled or cemented so as to be impervious to water and shall be properly drained

(e) The water used for the manufacture of aerated waters shall be pure and such as may be approved of by the Health Officer and shall not be carried in massacks or in any other vessels not approved by the President Vice President or Health Officer

(f) Carts employed for the carriage of water shall be kept on the premises shall have the designation of the factory painted on the barrel and shall at all times be kept in a state of scrupulous cleanliness

(g) The premises and all appliances used in the manufacture shall be open to inspection at all reasonable times by the President Vice President Health Officer the Municipal Sanitary Inspector or any other Municipal Officer

(h) No aerated waters of any kind shall be issued from the manufactory without having a proper label on each bottle giving full name and address of the manufactory It shall be lawful for the President Vice President the Health Officer or any Municipal Sanitary Inspector to enter any place used for the manufacture or sale of aerated waters at any time when such place is open and to inspect or to take sample of bottles of any kind of aerated waters which are there manufactured or kept for sale Such samples shall be forthwith forwarded to Government Chemical Examiner and Bacteriologist and if a certificate from him states that such sample is unfit for human consumption it shall be evidence that it is so unfit until the contrary is proved

2 Any infringement of any of the above bye laws shall render the proprietor or the person in charge of the place liable on conviction to a fine not exceeding Rs 20 and to a further fine not exceeding Rs 5 for every day after such conviction during which such infringement continues provided that the total amount of the fine shall not exceed Rs 500

LAKSHMANA RAO
President

SAGAR TOWN MUNICIPALITY

Notice dated 12th September 1924

Bye-law regarding manufacture of aerated water framed under Section 48 (1) (c) of the Mysore Municipal Regulation VII of 1906 within the limits of the Sagar Town Municipality

Any inhabitant of this Municipality objecting to the proposed bye law may within one month from the date of publication in the *Mysore Gazette* send his objections in writing to the President Town Municipal Council Sagar

1 All premises used for manufacture of aerated waters shall satisfy the following conditions :—

(a) There shall be water storage in a clean and covered receptacle in the factory premises

(b) If the water be filtered the filtering vessels and materials shall be sterilized at such times and in such manner as the President Vice President or Health Officer may direct

(c) All water to be used for washing bottles shall be stored in closed iron vessels and be treated before use with permanganate of potassium in such manner as the Health Officer may direct

(d) The room in which aerated waters are manufactured shall be properly roofed and kept clean and in good repair the walls shall be plastered with mortar and shall be lime washed at least once in three months the floor shall be flagged tiled or cemented so as to be impervious to water and shall be properly drained

(e) The water used for the manufacture of aerated waters shall be pure and such as may be approved of by the Health Officer and shall not be carried in massacks or in any other vessels not approved by the President Vice President or Health Officer

(f) Carts employed for the carriage of water shall be kept on the premises shall have the designation of the factory painted on the barrel and shall at all times be kept in a state of scrupulous cleanliness

(g) The premises and all appliances used in the manufacture shall be open to inspection at all reasonable times by the President Vice President Health Officer the Municipal Sanitary Inspector or any other Municipal Officer

(h) No aerated waters of any kind shall be issued from the manufactory without having a proper label on each bottle giving full name and address of the manufactory It shall be lawful for the President Vice President the Health Officer or any Municipal Sanitary Inspector to enter any place used for the manufacture or sale of aerated waters at any time when such place is open and to inspect or to take sample of bottles of any kind of aerated waters which are there manufactured or kept for sale Such samples shall be forthwith forwarded to Government Chemical Examiner and Bacteriologist and if a certificate from him states that such sample is unfit for human consumption it shall be evidence that it is so unfit until the contrary is proved

2 Any infringement of any of the above bye laws shall render the proprietor or the person in charge of the place liable on conviction to a fine not exceeding Rs 20 and to a further fine not exceeding Rs 5 for every day after such conviction during which such infringement continues, provided that the total amount of the fine shall not exceed Rs 500

C LAKSHMANA RAO
President

ಸಾಗರ ಟೌನ್ ಮ್ಯುನಿಸಿಪಾಲಿಟಿ.

ಸಾಗರ ಟೌನ್‌ಷಿಪ್‌ನಲ್ಲಿರುವ ಸೋಪ ಲೆಪನೆಕ್ ಟ್ಯೂಬರ್ ಫ್ಯಾಕ್ಟರಿಯನ್ನು ಸಾರಾಯದ ಸ್ಥಿತಿಯಲ್ಲಿಡಲು ಮತ್ತು ಇದಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಮತ್ತು ಪೂರಕವಾದ ಮತ್ತು ಪೂರಾಪ ಮಾಡುವ ಸ್ಥಳದ ವಿಷಯದಲ್ಲಿ ಮುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 49ನೆ ಸೆಕ್ಷನ್ (1) ಂ ಕ್ಲಾಸ್ ಅನುಸಾರ ಸಾಗರ ಟೌನ್ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲಿನಿಂದ ತಯಾರಿ ಮಾಡಲ್ಪಟ್ಟ ಬೈಲಾ

ಈ ನಿಬಂಧನೆಗಳ ವಿಚಾರದಲ್ಲಿ ತಳಕಾರು ಮಾಡಬೇಕಾದ ಟೌನ್‌ನ ಯಾವ ನಿವಾಸಿಯೇ ಆಗಲಿ ಈ ವಿಷಯ ಗೆಜೆಟ್ಟಿನಲ್ಲಿ ಪ್ರಕಟವಾದ ಆದ ಒಂದು ತಿಂಗಳೊಳಗಾಗಿ ತಳಕಾರ್ ಸಂಗ್ತಿ ಕುರಿತು ಲಿಖಿತ ಮೂಲಕವಾಗಿ ಪ್ರೆಸಿಡೆಂಟರವರಿಗೆ ತಿಳಿಸಿ ಕೊಳ್ಳಬಹುದು

(1) ಸೋಪ ಲೆಪನೆಕ್ ಕಾರ್ಖಾನೆಗೆ ಉಪಯೋಗಿಸಲ್ಪಟ್ಟ ಎಲ್ಲಾ ಕಟ್ಟಳೆಗಳಲ್ಲಿ ಯಜಮಾನನು ಈ ಕೆಳಗೆ ಕಾಣಿಸಿದ ಪ್ರಕಾರಗಳಿಗೆ ಒಳಪಟ್ಟಿರಬೇಕು

(a) ಫ್ಯಾಕ್ಟರಿಯಲ್ಲಿ ಸಾಕಾದಷ್ಟು ನೀರನ್ನು ಒಂದು ಕುಡಿಯಕ್ಕಾದ ಪಾತ್ರೆಯಲ್ಲಿ ತುಂಬಿ ಮೇಲೆ ಮುಚ್ಚಳ ಮುಚ್ಚಿರಬೇಕು

(b) ಉಪಯೋಗಿಸುವ ನೀರು ಕೋಧಿಸಬೇಕಾಗಿದ್ದಲ್ಲಿ ಕೋಧಿಸುವ ಯಂತ್ರಗಳು ಮತ್ತು ಪಾತ್ರೆಗಳು ಪ್ರೆಸಿಡೆಂಟ್ ಮೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಹೇಳುವ ರೀತಿ ಮತ್ತು ಕಾಲಗಳಲ್ಲಿ ಬಿಳಿ ನೀರಿನಲ್ಲಿ ಕುದಿಸಿರಬೇಕು

(c) ಸೋಪಾ ಸೀಸೆಗಳನ್ನು ತೊಳೆಯಲು ಉಪಯೋಗಿಸುವ ನೀರನ್ನು ಮುಚ್ಚಳ ವಿರುವ ಕಬ್ಬಿಣದ ಪಾತ್ರೆಯಲ್ಲಿ ಹಾಕಿ ಹೆಲ್ತ್ ಆಫೀಸರವರು ತಿಳಿಸುವ ವಿಧಾನದಲ್ಲಿ ಉಪಯೋಗಿಸುವುದಕ್ಕೆ ಮೊದಲು ಪೊಟ್ಯಾಸಿಯಂಪರ್ ಮ್ಯಾಂಗ್ ಸೇಟ್ ಉಪಯೋಗಿಸಬೇಕು

(d) ಸೋಪ ವಾಟರ್ ತಯಾರ್ ಮಾಡುವ ಕೊಠಡಿಯು ಸಾರಾಯದ ಮಾಳಿಗೆ ಯುಳ್ಳದ್ದಾಗಿ ಇರಬೇಕು ಕುಡಿಯುವಾಗಿ ದ್ದು ಒಳ್ಳೆ ಸ್ಥಿತಿಯಲ್ಲಿರಬೇಕ ಗೋಡೆಗಳಿಗೆ ಗಾರೆ ಗಿಲಾವ್ ಮಾಡಿಸಿ ಪ್ರತಿ ಮೂರು ತಿಂಗಳಿಗೊಂದಾವರ್ತಿ ಸುಣ್ಣ ಬಳಿಸಬೇಕು ನೆಲಕ್ಕೆಲಾ ಸೀಡ ಆವಾಸದಂತೆ ಹದುರ ಬಿಲ್ಲೆಯನ್ನಾಗಲಿ ಸಿಮೆಂಟ್ ಪಾಯಿಂಟ್ ಮಾಡಿಸ ಬೇಕು ಮತ್ತು ನೀರು ಹೊರಟು ಹೋಗಲು ಸಾರಾಯದ ಏರ್ಪಾಡು ಇಷಬೇಕು

(e) ಸೋಪ ವಾಟರಿಗೆ ಉಪಯೋಗಿಸುವ ನೀರು ಕುಡಿಯಾಗಿದ್ದು ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪದ್ದಾಗಿರಬೇಕು ಮತ್ತು ಪ್ರೆಸಿಡೆಂಟ್, ಮೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪದೇ ಇರುವ ಪಾತ್ರೆಗಳಲ್ಲಿ ಸಂಗಿಸಕೂಡದು

(f) ಕಾರ್ಖಾನೆ ನೀರುಗಾಡಿಗಳು ಕಾರ್ಖಾನೆಯಲ್ಲಿಯೇ ಇರತಕ್ಕವುಗಳಾಗಿಯೂ, ಫ್ಯಾಕ್ಟರಿಯ ವಿಳಾಸವನ್ನು ಬಿಳ್ಳಾ ಬಿಡದ ಖರಿದಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಸದಾ ಕುಡಿಯಾಗಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಇರತಕ್ಕದ್ದು

(g) ಕಟ್ಟಡದ ಎಲ್ಲಾ ಭಾಗವು ಮತ್ತು ಉಪಯೋಗಿಸುವ ಎಲ್ಲಾ ಸಾಮಾನುಗಳೂ ಪ್ರೆಸಿಡೆಂಟ್ ಮೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್, ಹೆಲ್ತ್ ಆಫೀಸರ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರ್ ಮತ್ತು ಈ ಪರವಾಗಿ ಅಧಿಕಾರ ಹೊಂದಿದ ಇತರ ನೌಕರರ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ನಿಗೆ ಅವಕಾಶವಿರಬೇಕು

(h) ಫ್ಯಾಕ್ಟರಿಯ ಜೆಸರು ವಿಳಾಸಗಳ ಲೇಬಲ್ ಇಲ್ಲದ ಸೋಪಾವಾಟರ್ ಸೀಸೆಗಳನ್ನು ಫ್ಯಾಕ್ಟರಿ ಇಂದ ಹೊರಕ್ಕೂ ಹದು ಪ್ರೆಸಿಡೆಂಟ್ ಮೈಸ್‌ಪ್ರೆಸಿಡೆಂಟ್, ಹೆಲ್ತ್ ಆಫೀಸರ್ ಮ್ಯುನಿಸಿಪಲ್ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಸೋಪ ತಯಾರಿಸಿ ಮಾರಾಟ ಮಾಡುವ ಯಾವ ಸ್ಥಳದಲ್ಲಿ ಯಾದರೂ ಹೋಗಿ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ ಮಾಡುವುದಕ್ಕೂ ಕಟ್ಟಾರಿಸಿ ಬೇಕಾಗಿ ಇಟ್ಟಿರುವ ಸೀಸೆಗಳ ನಮೂನೆಯನ್ನು ತೆಗೆದು ಗೌರ್ನಮೆಂಟು ಕೆಮಿಕಲ್ ಯಗ್ಜಾಮಿನರ್ ರವರಲ್ಲಿಗೆ ಕಳುಹಿಸಿ ಅವರು ಉಪಯೋಗಿಸಲು ಅನರ್ಹವೆಂದು ಸರ್ಟಿಫಿಕೇಟು ಬಂದಲ್ಲಿ ಅದನ್ನು ಸಾರಾಸರ್ತಿಯಾಗಿ ಧ್ವಂಸಮಾಡಿ ಸಂಬಂಧಿಸಿದವರಿಗೂ ಅಂಥಾದ್ದು ಅನರ್ಹವೆಂದು ನಿರ್ಧರಿಸಿತಕ್ಕದ್ದು.

II ಮೇಲೆ ನಮೂದಾಗಿರುವ ನೈಲಾಗಳಿಗೆ ವಿರೋಧವಾಗಿ ನಡೆದುಕೊಳ್ಳುವ ಪ್ರತಿ ಮನುಷ್ಯನಿಗೂ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟ್ ಸು ರವರಲ್ಲಿ ಕಡ್ಡಾಯವಾಗಿ ತೆಗೆದುಕೊಳ್ಳಲ್ಪಟ್ಟ ಮೇರೆ 20—ರೂಪಾಯಿಗೆ ವಿಸ್ತರಿಸಲಾಗಿದೆ ಜಾರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದಲ್ಲದೆ | ಮೇಲ್ಕಂಡ ತಪ್ಪು ಸಾಬೀತಾದನಂತರ ಆ ರೀತಿ ವಿರೋಧವಾಗಿ ಮಾಡದು ಕೊಳ್ಳಲ್ಪಡುವುದು ಆಚರಣೆಯಲ್ಲಿಟ್ಟಿದ್ದಲ್ಲಿ ಆ ರೀತಿ ಆಚರಣೆಯಲ್ಲಿ ಟ್ಟಿರುವ ಪ್ರತಿ ದಿನಗಳಿಗೂ ಕ—ರೂಪಾಯಿನಂತೆ ಜಾರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದು ಆ ರೀತಿ ಹಾಕಲ್ಪಟ್ಟ ಜಾರ್ಮಾನೆಯು 500—ಕ್ಕೂಮೀರಿಗೆ ಪೋಸ್ಟ್‌ಪೋನ್ ಆಗತಕ್ಕದ್ದಲ್ಲ

ಸಿ. ಅಚ್ಚುತ್ತಾರಾವ್,
ಪ್ರೆಸಿಡೆಂಟ್ ಮ್ಯುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್

13

ಸಾಗರ ಟೌನ್ ಮ್ಯುನಿಸಿಪಾಲಿಟಿ.

ಸಾಗರ ಟೌನ್‌ಷಿಪ್‌ನಲ್ಲಿರುವ ಸೋಡ ಲೆವಿನಿಕ್ ವರ್ಕ್ಸ್ ಫ್ಯಾಕ್ಟರಿಯನ್ನು ಸಾಯುವ ಸ್ಥಿತಿಯಲ್ಲಿಡಲು ಮತ್ತು ಇದ್ದುಗಳನ್ನು ತಯಾರ್ ಮಾಡುವ ಮತ್ತು ಮಾರಾಟ ಮಾಡುವ ಸ್ಥಳದ ವಿಷಯದಲ್ಲಿ ಮುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 48ನೆ ಸೆಕ್ಷನ್ (1) ಂ ಕ್ಲಾಸ್ ಅನುಸಾರ ಸಾಗರ ಟೌನ್ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್‌ನಿಂದ ತಯಾರ್ ಮಾಡಲ್ಪಟ್ಟ ಬೈಲಾ

ಈ ನಿಬಂಧನೆಗಳ ವಿಚಾರದಲ್ಲಿ ತಳವಾರು ಮಜಿಸ್ಟ್ರೇಟ್ ಟವರ್‌ನ್ನಿನ ಯಾವ ನಿವಾಸಿಯೇ ಆಗಲಿ ಈ ವಿಷಯ ಗೆಜೆಟ್‌ನಲ್ಲಿ ಪ್ರಕಟಿಸಿದ ಆದ ಒಂದು ತಿಂಗಳೊಳಗಾಗಿ ತಳವಾರ್ ಸಾಗ್ತಿ ಕುರಿತು ಲಿಖಿತ ಮೂಲಕವಾಗಿ ಪ್ರೆಸಿಡೆಂಟರವರಿಗೆ ಕೇಳಿ ಕೊಳ್ಳಿ ಬಹುದು

(1) ಸೋಡ ಲೆವಿನಿಕ್ ಕಾರ್ಖಾನೆಗೆ ಉಪಯೋಗಿಸಲ್ಪಟ್ಟ ಎಲ್ಲಾ ಕಟ್ಟಳತೆಗಳ ಯಜಮಾನನು ಈ ಕೆಳಗೆ ಕಾಣಿಸಿದ ಪ್ರಕಾರಗಳಿಗೆ ಒಳಪಟ್ಟಿರಬೇಕು

(a) ಫ್ಯಾಕ್ಟರಿಯಲ್ಲಿ ಸಾಕಾದಷ್ಟು ನೀರನ್ನು ಒಂದು ಕುಡಿಯಾದ ಪಾತ್ರೆಯಲ್ಲಿ ತುಂಬಿ ಮೇಲೆ ಮುಚ್ಚಳ ಮುಚ್ಚಿ ಇಡಬೇಕು

(b) ಉಪಯೋಗಿಸುವ ನೀರು ಕೊಳಕಿನಿಂದ ಕೂಡಿದ್ದಲ್ಲಿ ತೊಳೆದು ಸುವ ಯಂತ್ರಗಳು ಮತ್ತು ಪಾತ್ರೆಗಳು ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಹೇಳುವ ರೀತಿ ಮತ್ತು ಕಾಲಗಳಲ್ಲಿ ಬಿಸಿ ನೀರಿನಲ್ಲಿ ಕುದಿಸಿ ಇಡಬೇಕು

(c) ಸೋಡಾ ಸೀಸೆಗಳನ್ನು ತೊಳೆಯಲು ಉಪಯೋಗಿಸುವ ನೀರನ್ನು ಮುಚ್ಚಳ ವಿರುವ ಕಬ್ಬಿಣದ ಪಾತ್ರೆಯಲ್ಲಿ ಹಾಕಿ ಹಿರಿಯ ಇನ್ಸ್‌ಪೆಕ್ಟರವರು ತಿಳಿಸುವ ವಿಧಾನದಲ್ಲಿ ಉಪಯೋಗಿಸುವುದಕ್ಕೆ ಮೊದಲು ಪೊಟ್ಯಾಸಿಯಂ ಪರ್ಮ್ಯಾಂಗೆನೇಟ್ ಉಪಯೋಗಿಸಬೇಕು

(d) ಸೋಡ ವಾಟರ್ ತಯಾರ್ ಮಾಡುವ ಕೊಳವಿಯು ಸಾಯುವ ಮಾಳಿಗೆ ಯುಳ್ಳದ್ದಾಗಿ ಇರಬೇಕು ಕುಡಿಯಾಗಿ ದ್ದು ಒಳ್ಳೆ ಸ್ಥಿತಿಯಲ್ಲಿರಬೇಕ ಗೋಡೆಗಳಿಗೆ ಗಾರ ಗಿಲಾವ್ ಮಾಡಿಸಿ ಪ್ರತಿ ಮೂರು ತಿಂಗಳಿಗೊಂದಾವರ್ತಿ ಸುಣ್ಣ ಬಳಿಸಬೇಕು ನೆಲಕ್ಕೆಲ್ಲಾ ಸೀಮೆ ಆವರಿಸಿದಂತೆ ಹೆದರ ಬಲ್ಲಯನ್ನಾಗಲಿ ಸಿಮೆಂಟ್ ಪೇವಿಂಟ್ ಮಾಡಿಸ ಬೇಕು ಮತ್ತು ನೀರು ಹೊರಟು ಹೋಗಲು ಸಾಯುವ ಏರ್ಪಾಡು ಇಡಬೇಕು

(e) ಸೋಡ ವಾಟರಿಗೆ ಉಪಯೋಗಿಸುವ ನೀರು ಕುಡಿಯಾಗಿದ್ದು ಹಿರಿಯ ಇನ್ಸ್‌ಪೆಕ್ಟರವರು ಒಪ್ಪಿದ್ದಾಗಿರಬೇಕು ಮತ್ತು ಪ್ರೆಸಿಡೆಂಟ್, ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಹಿರಿಯ ಇನ್ಸ್‌ಪೆಕ್ಟರವರು ಒಪ್ಪದೇ ಇರುವ ಪಾತ್ರೆಗಳಲ್ಲಿ ಸಂಗಿಸಕೂಡದು

(f) ಕಾರ್ಖಾನೆ ನೀರುಗಾಡಿಗಳು ಕಾರ್ಖಾನೆಯಲ್ಲಿಯೇ ಇರತಕ್ಕವುಗಳಾಗಿಯೂ ಫ್ಯಾಕ್ಟರಿಯ ವಿಳಾಸವನ್ನು ಬಣ್ಣ ದಿಂದ ಬರೆದಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಸದಾ ಕುಡಿಯಾಗಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಇರತಕ್ಕದ್ದು

(g) ಕಟ್ಟಡದ ಎಲ್ಲಾ ಭಾಗವು ಮತ್ತು ಉಪಯೋಗಿಸುವ ಎಲ್ಲಾ ಸಾಮಾನುಗಳೂ ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್, ಹಿರಿಯ ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರ್ ಮತ್ತು ಈ ಪರವಾಗಿ ಅಧಿಕಾರ ಹೊಂದಿದ ಇತರ ನೌಕರರ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ನಿಗೆ ಅವಕಾಶವಿರಬೇಕು

(h) ಫ್ಯಾಕ್ಟರಿಯ ಹಿಸರು ವಿಳಾಸಗಳ ಲೇಬಿಲ್ ಇಲ್ಲದ ಸೋಡಾವಾಟರ್ ಸೀಸೆಗಳನ್ನು ಫ್ಯಾಕ್ಟರಿ ಆವರಣ ಕೊಡಕೂಡದು ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್‌ಪ್ರೆಸಿಡೆಂಟ್, ಹಿರಿಯ ಇನ್ಸ್‌ಪೆಕ್ಟರ್, ಮ್ಯುನಿಸಿಪಲ್ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಸೋಡ ತಯಾರಿಸಿ ಮಾರಾಟ ಮಾಡುವ ಯಾವ ಸ್ಥಳದಲ್ಲಿ ಆದರೂ ಹೋಗಿ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ ಮಾಡುವುದಕ್ಕೆ ತಯಾರಿಸಿ ಬಿಳರಿಗೆ ಇಟ್ಟಿರುವ ಸೀಸೆಗಳ ಸಮೂಹವನ್ನು ತೆಗೆದು ಗೌರ್ನಮೆಂಟು ಕೆಮಿಕಲ್ ಅನ್ಯಾಮಿನರ್ ರವರಲ್ಲಿಗೆ ಕಳುಹಿಸಿ ಅವರು ಉಪಯೋಗಿಸಲು ಅಸಹ್ಯವೆಂದು ಸರ್ಟಿಫಿಕೇಟ್ ಕೊಟ್ಟಲ್ಲಿ ಅದನ್ನು ಸಾಯುವೆಂದು ಧೃಢಪಡಿಸಿ ಸುವವರೆಗೂ ಅಂಥಾದ್ದು ಅನರ್ಹವೆಂದು ನಿರ್ಧರಿಸಿಕೊಳ್ಳಬಹುದು

II ಮೇಲೆ ನಮೂದಾಗುವ ನಿಯಮಗಳಿಗೆ ವಿರೋಧವಾಗಿ ನಡೆಯುವ ಪ್ರತಿ ಮನುಷ್ಯನಿಗೂ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟರವರಲ್ಲಿ ತಪ್ಪು ಕಂಡು ಹಿಡಿಯಲ್ಪಟ್ಟಿ ಮೇಲೆ 20—ರೂಪಾಯಿಗೆ ಮೀರದಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದಲ್ಲದೆ ಮೊಲ್ಲಂಡ ತಪ್ಪು ಸಾಬೀತಾದನಂತರ ಆ ರೀತಿ ವಿರೋಧವಾಗಿ ನಡೆದು ಕೊಳ್ಳುತ್ತಿರುವುದು ಆಚರಣೆಯಲ್ಲಿಟ್ಟಿದ್ದಲ್ಲಿ ಆ ರೀತಿ ಆಚರಣೆಯಲ್ಲಿ ಟ್ಟಿರುವ ಪ್ರತಿ ದಿವಸಕ್ಕೂ 5—ರೂಪಾಯಿನಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದು ಆ ರೀತಿ ಹಾಕಲ್ಪಟ್ಟ ಜುರ್ಮಾನೆಯು 500— ರೂಪಾಯಿಗಳಿಗೆ ಮೀರಿಸಿಕೊಡತಕ್ಕದ್ದು

ಸಿ. ಲಕ್ಷ್ಮಣರಾವ್,
ಪ್ರೆಸಿಡೆಂಟ್ ಮ್ಯುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್.

14

ಸಂಗಾರ ಟೌನ್ ಮುನಿಸಿಪಾಲಿಟಿ.

ಸಂಗಾರ ಟೌನ್‌ನಲ್ಲಿರುವ ಸೋಡ ತಯಾರಿಕೆ ಮಾಡುವ ಕಾರ್ಖಾನೆಗಳನ್ನು ಸಾರ್ವಜನಿಕರ ಆರೋಗ್ಯ ದೃಷ್ಟಿಯಿಂದ ಸರಿಯಾದ ನಿಯಮಗಳಲ್ಲಿ ನಡೆಸಲು ಏರ್ಪಾಟು ಮಾಡುವ ವಿಷಯದಲ್ಲಿ ಮುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 429ನೇ ಸೆಕ್ಷನ್ (1) c ಕ್ಲಾಜ್ ಅನ್ವಯವಾಗಿ ಸಂಗಾರ ಟೌನ್ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್‌ನಿಂದ ತಯಾರಿ ಮಾಡಲ್ಪಟ್ಟ ಬೈಲಾ

ಈ ನಿಬಂಧನೆಗಳ ವಿಚಾರಣೆಯಲ್ಲಿ ಪಳಕಾರು ಟೌನ್‌ನ ಯಾವ ನಿವಾಸಿಯೇ ಆಗಲಿ ಈ ವಿಷಯ ಗೆಜೆಟ್ಟಿನಲ್ಲಿ ಪ್ರಕಟವಾದ ಒಂದು ತಿಂಗಳೊಳಗಾಗಿ ಪಳಕಾರ್ ಸಾಗ್ತಿ ಕುರಿತು ಲಿಖಿತ ಮೂಲಕವಾಗಿ ಪ್ರೆಸಿಡೆಂಟರವರಿಗೆ ಕೇಳಿ ಕೊಳ್ಳಬಹುದು.

(1) ಸೋಡ ತಯಾರಿಕೆ ಕಾರ್ಖಾನೆಗೆ ಉಪಯೋಗಿಸಲ್ಪಟ್ಟ ಎಲ್ಲಾ ಕಟ್ಟಳತೆಗಳ ಯಜಮಾನನು ಈ ಕೆಳಗೆ ಕಾಣಿಸಿದ್ದಾಗಳಿಗೆ ಒಳಪಟ್ಟಿರಬೇಕು

(a) ಫ್ಯಾಕ್ಟರಿಯಲ್ಲಿ ಸಾಕಾದಷ್ಟು ನೀರನ್ನು ಒಂದು ಕೂಡಿಯಾದ ಪಾತ್ರೆಯಲ್ಲಿ ತುಂಬಿ ಮೇಲೆ ಮುಚ್ಚಳ ಮುಚ್ಚಬೇಕು

(b) ಉಪಯೋಗಿಸುವ ನೀರು ಕೊಳಚೆಯಾಗಿದ್ದಲ್ಲಿ ಕೋಧಿಸುವ ಯಂತ್ರಗಳು ಮತ್ತು ಪಾತ್ರೆಗಳು ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಹೇಳುವ ರೀತಿ ವತ್ತು ಕಾಲಗಳಲ್ಲಿ ಬಿಸಿ ನೀರಿನಲ್ಲಿ ಕುದಿಸಬೇಕು

(c) ಸೋಡಾ ಉಪ್ಪಿಗೆಗಳನ್ನು ತೊಳೆಯಲು ಉಪಯೋಗಿಸುವ ನೀರನ್ನು ಮುಚ್ಚಳ ವಿರುವ ಕಬ್ಬಿಣದ ಪಾತ್ರೆಯಲ್ಲಿ ಹಾಕಿ ಹೆಲ್ತ್ ಆಫೀಸರವರು ತಿಳಿಸುವ ವಿಧಾನದಲ್ಲಿ ಉಪಯೋಗಿಸುವುದಕ್ಕೆ ಮೊದಲು ಪೊಟ್ಯಾಸಿಯಂಪರ್ ಮ್ಯಾಂಗ್ ನೀಟ್ ಉಪಯೋಗಿಸಬೇಕು

(d) ಸೋಡ ವಾಟರ್ ತಯಾರ್ ಮಾಡುವ ಕೊಳಚಿಯು ಸರಿಯಾದ ಮಾಳಿಗೆ ಯುಳ್ಳದ್ದಾಗಿ ಇರಬೇಕು ಕೂಡಿಸುಗಿ ದೃಷ್ಟಿ ಬಿಳ್ಳ ಸ್ಥಿತಿಯಲ್ಲಿರಬೇಕ ಗೋಡೆಗಳಿಗೆ ಗಾರ ಗಿಲಾವ ಮಾಡಿಸಿ ಪ್ರತಿ ಮೂರು ತಿಂಗಳಿಗೊಂದಾವರ್ತಿ ಸುಣ್ಣ ಬಳಿಸಬೇಕು ನೆಲಕ್ಕೆಲ್ಲಾ ನೀಟ ಆವರಿಸೆದಂತೆ ಜಿದುರ ಬಿಲ್ಲೆಯನ್ನಾಗಲಿ ಸಿಮೆಂಟ್ ಪಾಮಿಂಟ್ ಮಾಡಿಸ ಬೇಕು ಮತ್ತು ನೀರು ಹೊರಟು ಹೋಗಲು ಸರಿಯಾದ ಏರ್ಪಾಟು ಇಡಬೇಕು

(e) ಸೋಡ ವಾಟರಿಗೆ ಉಪಯೋಗಿಸುವ ನೀರು ಕುಡಿಯಲಾಗಿದ್ದು ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪಿದ್ದಾಗಿರಬೇಕು ಮತ್ತು ಪ್ರೆಸಿಡೆಂಟ್, ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪಿದ ಇರುವ ಪಾತ್ರೆಗಳಲ್ಲಿ ಸಂಗಿಸಿಕೊಡಬೇಕು

(f) ಕಾರ್ಖಾನೆ ನೀರುಗಾಡಿಗಳು ಕಾರ್ಖಾನೆಯಲ್ಲಿಯೇ ಇರತಕ್ಕವುಗಳಾಗಿಯೂ, ಫ್ಯಾಕ್ಟರಿಯ ವಿಳಾಸವನ್ನು ಬಣ್ಣದಿಂದ ಬರೆದಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಸದಾ ಕೂಡಿಸುಗಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಇರತಕ್ಕದ್ದು

(g) ಕಟ್ಟಡದ ಎಲ್ಲಾ ಭಾಗವೂ ಮತ್ತು ಉಪಯೋಗಿಸ ವ ಎಲ್ಲಾ ಸಾಮಾನುಗಳೂ ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್, ಹೆಲ್ತ್ ಆಫೀಸರ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರ್ ಮತ್ತು ಈ ಪರವಾಗಿ ಅಧಿಕಾರ ಹೊಂದಿದ ಇತರ ನೌಕರರ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ನಿಗೆ ಅವಕಾಶವಿರಬೇಕು

(h) ಫ್ಯಾಕ್ಟರಿಯು ಹೊಸರು ವಿಳಾಸಗಳ ಲೇಬಲ್ ಇಲ್ಲದ ಸೋಡಾವಾಟರ್ ಸೀಸೆಗಳನ್ನು ಫ್ಯಾಕ್ಟರಿ ಹೊರ ತೆಗೆಯಾಗಲಿ ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್‌ಪ್ರೆಸಿಡೆಂಟ್, ಹೆಲ್ತ್ ಆಫೀಸರ್, ಮ್ಯುನಿಸಿಪಲ್ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಸೋಡ ತಯಾರಿಸಿ ಮಾರಾಟ ಮಾಡುವ ಯಾವ ಸ್ಥಳದಲ್ಲಿ ಯಾದರೂ ಹೋಗಿ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ ಮಾಡುವುದಕ್ಕೂ ತಯಾರಿಸಿ ಬಳಿಗೆ ಇಟ್ಟಿರುವ ಸೀಸೆಗಳ ನಮೂನೆಯನ್ನು ತೆಗೆದು ಗೌರ್ನಮೆಂಟು ಕೆಮಿಕಲ್ ಅನಲೈಸರ್ ರವರಲ್ಲಿಗೆ ಕಳುಹಿಸಿ ಅವರು ಉಪಯೋಗಿಸಲು ಅಸಾಧ್ಯವೆಂದು ಸರ್ಟಿಫಿಕೇಟು ಬಂದಲ್ಲಿ ಅದನ್ನು ಸಂಯಾಜ್ಞೆಯಂದು ಧೃಢಪಡಿಸುವವರೆಗೂ ಅಂಥಾದ್ದು ಅನರ್ಹವೆಂದು ನಿರ್ಧರಿಸಬಹುದು.

II ಮೇಲೆ ನಿರೂಪಿಸಿದಾಗುವ ಬೈಲಾಗಳಿಗೆ ವಿರೋಧವಾಗಿ ನಡೆದುಕೊಳ್ಳುವ ಪ್ರತಿ ಮನುಷ್ಯನಿಗೂ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟರಲ್ಲಿ ಕೆಳ್ಪ ಕಂಡು ಹಿಡಿಯಲ್ಪಟ್ಟ ಮೇರೆ 20—ರೂಪಾಯಿಗೆ ಮಿಂಚದಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದಲ್ಲದೆ ಮತ್ತೊಂದು ಕೆಳ್ಪ ನೇರವಾದನಂತರ ಆ ರೀತಿ ವಿರೋಧವಾಗಿ ನಡೆದು ತೊಳ್ಳತೆಪಡುವುದು ಆಚರಣೆಯಲ್ಲಿಟ್ಟಿದ್ದಲ್ಲಿ ಆ ರೀತಿ ಆಚರಣೆಯಲ್ಲಿ ತ್ಯಾಗುವ ಪ್ರತಿ ದಿನಕ್ಕೆಲ್ಲಾ ರೂ—ರೂಪಾಯಿನಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದು ಆ ರೀತಿ ಹಾಕಲ್ಪಟ್ಟ ಜುರ್ಮಾನೆಯು 800—ರೂಪಾಯಿಗಳಿಗೆ ಪೇರಿಸಲ್ಪಡಬಹುದು

ಸಿ. ಅಚ್ಚಪ್ಪಗೌಡ,
ಪ್ರೆಸಿಡೆಂಟ್ ಮ್ಯುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್.

ಸಾಗರ ಟವರ್ ಮ್ಯುನಿಸಿಪಾಲಿಟಿ.

ಸಾಗರ ಟವರ್‌ನ್ನಿಡಿರುವ ಸೋಡ ಲೆಮನೆಡ್ ಮ್ಯಾರೆ ಫ್ಯಾಕ್ಟರಿಯನ್ನು ಸರಿಯಾದ ಸ್ಥಿತಿಯಲ್ಲಿಡಲು ಮತ್ತು ಇಪ್ಪುಗಳನ್ನು ಕೆಯಾರ್ ಮಾಡುವ ಮತ್ತು ವಾರಾಟ ಮಾಡುವ ಸ್ಥಳದ ವಿಷಯದಲ್ಲಿ ಮುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 48ನೆ ಸೆಕ್ಷನ್ (1) c ಕ್ಲಾಜ್ ಅನುಸಾರ ಸಾಗರ ಟವರ್ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲಿನಿಂದ ತಯಾರಿ ಮಾಡಲ್ಪಟ್ಟ ಬೈಲಾ

ಈ ನಿಬಂಧನೆಗಳ ವಿಚಾರದಲ್ಲಿ ತಳರಾರು ಮಾಡಬೆಕ್ಕ ಟವರ್‌ನ್ನಿನ ಯಾವ ನಿವಾಸಿಯೇ ಆಗಲಿ ಈ ವಿಷಯ ಗೆಜೆಟ್ಟಿನಲ್ಲಿ ಪ್ರಾಯಿಷ್ ಆದ ಒಂದು ತಿಂಗಳೊಳಗಾಗಿ ತಳರಾರ್ ಸಂಗ್ತಿ ಕುರಿತು ಲಿಖಿತ ಮುಖಲಕವಾಗಿ ಪ್ರೆಸಿಡೆಂಟರವರಿಗೆ ಕೇಳಿ ಕೊಳ್ಳಿ ಮಾಡಬಹು

(1) ಸೋಡ ಲೆಮನೆಡ್ ಕಾರ್ಖಾನೆಗೆ ಉಪಯೋಗಿಸಲ್ಪಟ್ಟ ಎಲ್ಲಾ ಕಟ್ಟಡಗಳಗೆ ಯಜಮಾನನು ಈ ಕೆಳಗೆ ಕಾಂಡ ಷರತ್ತುಗಳಿಗೆ ಒಳಪಟ್ಟಿರಬೇಕು

(a) ಫ್ಯಾಕ್ಟರಿಯಲ್ಲಿ ಸಾಕಾದಷ್ಟು ನೀರನ್ನು ಒಂದು ಕುಡಿಯಾದ ಪಾತ್ರೆಯಲ್ಲಿ ತಂಬಿ ಮೇಲೆ ಮುಚ್ಚಳ ಮುಚ್ಚಿ ಬೇಕು

(b) ಉಪಯೋಗಿಸುವ ನೀರು ಕೊಳಿಸಬೇಕಾಗಿದ್ದಲ್ಲಿ ಕೋಧಿಸುವ ಯಂತ್ರಗಳು ಮತ್ತು ಪಾತ್ರೆಗಳು ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಹೇಳುವ ರೀತಿ ಮತ್ತ ಕಾಲಗಳಲ್ಲಿ ಬಿಸಿ ನೀರಿನಲ್ಲಿ ಕುದಿಸ ಬೇಕು

(c) ಸೋಡಾ ಎಸೆಗಳನ್ನು ತೊಳೆಯಲು ಉಪಯೋಗಿಸುವ ನೀರನ್ನು ಮುಚ್ಚಳ ವಿರುವ ಕಬ್ಬಿಣದ ಪಾತ್ರೆಯಲ್ಲಿ ಹಾಕಿ ಹೆಲ್ತ್ ಆಫೀಸರವರು ತಿಳಿಸುವ ವಿಧಾನದಲ್ಲಿ ಉಪಯೋಗಿಸುವುದಕ್ಕೆ ಮೊದಲು ಪೊಟ್ಯಾಸಿಯಂಪರ್ ಮ್ಯಾಂಗನೇಟ್ ಉಪಯೋಗಿಸಬೇಕು

(d) ಸೋಡ ವಾಟರ್ ತಯಾರ್ ಮಾಡುವ ಕೊಣೆಯು ಸರಿಯಾದ ಮಾಳಿಗೆ ಯಳ್ಳದ್ದಾಗಿ ಇರಬೇಕು ಕುಡಿಯಾಗಿದ್ದು ಒಳ್ಳೆ ಸ್ಥಿತಿಯಲ್ಲಿರಬೇಕ ಗೋಡೆಗಳಿಗೆ ಗಾರೆ ಗಿಲಾವ್ ಮಾಡಿಸಿ ಪ್ರತಿ ಮೂರು ತಿಂಗಳಿಗೊಂದಾವರ್ತಿ ಸುಣ್ಣ ಬಳಿಸಬೇಕು ನೆಲಕ್ಕೆಲ್ಲಾ ಸೀತ ಆವರಿಸದಂತೆ ಜಿದುರ ಬಲ್ಲೆಯನ್ನಾಗಲಿ ಸಿಮೆಂಟ್ ಪಾಮೆಂಟ್ ಮಾಡಿಸ ಬೆಕು ಮತ್ತು ನೀರು ಹೊರಟು ಹೋಗಲು ಸರಿಯಾದ ಏರ್ಪಾಡು ಇಡಬೇಕು

(e) ಸೋಡ ವಾಟರಿಗೆ ಉಪಯೋಗಿಸುವ ನೀರು ಕುಡಿಯಾಗಿದ್ದು ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪಿದ್ದಾಗಿರಬೇಕು ಮತ್ತು ಪ್ರೆಸಿಡೆಂಟ್, ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಯಾ ಹೆಲ್ತ್ ಆಫೀಸರವರು ಒಪ್ಪದೇ ಇರುವ ಪಾತ್ರೆಗಳಲ್ಲಿ ಸಾಗಿಸಕೂಡದು

(f) ಕಾರ್ಖಾನೆ ನೀರುಗಾಡಿಗಳು ಕಾರ್ಖಾನೆಯಲ್ಲಿಯೇ ಇರತಕ್ಕವುಗಳಾಗಿಯೂ, ಫ್ಯಾಕ್ಟರಿಯ ವಿಳಾಸವನ್ನು ಬಣ್ಣಾ ದಿಂದ ಬರೆದಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಸದಾ ಕುಡಿಯಾಗಿರತಕ್ಕವುಗಳಾಗಿಯೂ ಇರತಕ್ಕದ್ದು

(g) ಕಟ್ಟಡದ ಎಲ್ಲಾ ಭಾಗವೂ ಮತ್ತು ಉಪಯೋಗಿಸುವ ಎಲ್ಲಾ ಸಾಮಾನುಗಳೂ ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್ ಪ್ರೆಸಿಡೆಂಟ್ ಹೆಲ್ತ್ ಆಫೀಸರ್ ಯಾ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರ್ ಮತ್ತು ಈ ಪರವಾಗಿ ಅಧಿಕಾರ ಹೊಂದಿದ ಇತರ ನೌಕರರ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ನಿಗೆ ಅವಕಾಶವಿರಬೇಕು

(h) ಫ್ಯಾಕ್ಟರಿಯ ಹೆಸರು ವಿಳಾಸಗಳ ಲೇಬಲ್ ಇಲ್ಲದ ಸೋಡಾವಾಟರ್ ಸೀಸೆಗಳನ್ನು ಫ್ಯಾಕ್ಟರಿ ಇಂದ ಕೊಡಕೂಡದು ಪ್ರೆಸಿಡೆಂಟ್ ವೈಸ್‌ಪ್ರೆಸಿಡೆಂಟ್, ಹೆಲ್ತ್ ಆಫೀಸರ್ ಮ್ಯುನಿಸಿಪಲ್ ಸ್ಯಾನಿಟರಿ ಇನ್‌ಸ್ಪೆಕ್ಟರವರು ಸೋಡ ತಯಾರಿಸಿ ಮಾರಾಟ ಮಾಡುವ ಯಾವ ಸ್ಥಳದಲ್ಲಿ ಯಾದರೂ ಹೋಗಿ ಇನ್‌ಸ್ಪೆಕ್ಷನ್ ಮಾಡುವುದಕ್ಕೂ ತಯಾರಿಸಿ ಬಿಕರಿಗೆ ಇಟ್ಟಿರುವ ಸೀಸೆಗಳ ನಮೂನೆಯನ್ನು ತೆಗೆದು ಗೌರ್ನಮೆಂಟು ಕೆಮಿಕಲ್ ಯಗ್ಜಾಮಿನರ್ ರವರಲ್ಲಿಗೆ ಕಳುಹಿಸಿ ಅವರು ಉಪಯೋಗಿಸಲು ಅನರ್ಹವೆಂದು ಸರ್ಟಿಫಿಕೇಟ್ ಬಂದಲ್ಲಿ ಅದನ್ನು ಸರಿಯಾದ್ದೆಂದು ಧೃಢಪಡಿಸುವವರೆಗೂ ಅಂಥಾದ್ದು ಅನರ್ಹವೆಂದು ನಿರ್ದರಿಸತಕ್ಕದ್ದು.

II. ಮೇಲೆ ನಮೂದಾಗಿರುವ ಬೈಲಾಗಳಿಗೆ ವಿರೋಧವಾಗಿ ನಡೆದುಕೊಳ್ಳುವ ಪ್ರತಿ ಮನುಷ್ಯನಿಗೂ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟರವರಲ್ಲಿ ತಪ್ಪು ಕಂಡು ಹಿಡಿಯಲ್ಪಟ್ಟ ಮೇಲೆ 20—ರೂಪಾಯಿಗೆ ಮೀರದಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದಲ್ಲದೆ ‖ ಮೇಲ್ಕಂಡ ತಪ್ಪು ಸಾಬೀತಾದನಂತರ ಆ ರೀತಿ ವಿರೋಧವಾಗಿ ನಡೆದು ಕೊಳ್ಳುತ್ತಪಡುವುದು ಆಚರಣೆಯಲ್ಲಿಟ್ಟಿದ್ದಲ್ಲಿ ಆ ರೀತಿ ಆಚರಣೆಯಲ್ಲಿ ಟ್ಟಿರುವ ಪ್ರತಿ ದಿವಸಕ್ಕೂ 5—ರೂಪಾಯಿನಂತೆ ಜುರ್ಮಾನೆ ಹಾಕಲ್ಪಡುವುದು ಆ ರೀತಿ ಹಾಕಲ್ಪಟ್ಟ ಜುರ್ಮಾನೆಯು 500—ರೂಪಾಯಿಗಳಿಗೆ ತೆಗೆಲ್ಪಟ್ಟಿರತಕ್ಕದ್ದು

ಸಿ ಅಚ್ಚಯ್ಯಣಾಚಾರ್,
ಪ್ರೆಸಿಡೆಂಟ್ ಮ್ಯುನಿಸಿಪ್ ಕೌನ್ಸಿಲ್.